



IPC-2581B-WAM1

Generic Requirements for Printed Board Assembly Products Manufacturing Description Data and Transfer Methodology

Developed by Product Data Description (Laminar View) Subcommittee
(2-16) of the Electronic Product Data Description Committee (2-10) of
IPC

Supersedes:

IPC-2581B - September 2013
IPC-2581A - May 2012
IPC-2581 with Amendment 1 -
May 2007
IPC-2581 - March 2004

Contact:

IPC
3000 Lakeside Drive, Suite 105N
Bannockburn, Illinois
60015-1249
Tel 847 615.7100
Fax 847 615.7105

TABLE OF CONTENTS

1	SCOPE	1
1.1	Focus and intent	1
1.2	Notation	1
2	APPLICABLE DOCUMENTS	2
2.1	Documentation conventions	2
3	REQUIREMENTS	5
3.1	Rules concerning the use of XML and XML Schema	7
3.1.1	File readability and uniformity	7
3.1.2	File markers	7
3.1.3	File extension	7
3.1.4	File remarks	7
3.1.5	Character set definition	7
3.1.6	Child Element Order	7
3.1.7	XML Validation and Schema File Location	8
3.2	Naming attributes within a IPC-2581 file	8
3.2.1	Data organization and identification rules	8
3.2.2	The Use of XML elements and types	9
3.2.3	Attribute base types (governing templates)	9
3.2.4	Coordinate system and transformation rules	11
3.3	Transformation characteristics (Xform)	12
3.3.1	The x and y Offset attributes	13
3.3.2	The rotation attribute	13
3.3.3	The mirror attribute	14
3.3.4	The scale attribute	14
3.3.5	The x and y Location attributes	14
3.4	Base Elements	15
3.4.1	Line	15
3.4.2	Arc	16
3.4.3	PolyBegin	17
3.4.4	Polygon	17
3.4.5	Polyline	18
3.4.6	Cutout	19
3.4.7	Outline	20
3.4.8	PinRef	21
3.4.9	Location	21
3.5	Substitution Groups	22
3.5.1	ColorGroup	24
3.5.2	Fiducial	26
3.5.3	FirmwareGroup	26
3.5.4	FontDef	28
3.5.5	LineDescGroup	32
3.5.6	FillDescGroup	34

3.5.7	PolyStep	36
3.5.8	Simple	38
3.5.9	StandardPrimitive	39
3.5.10	StandardShape	64
3.5.11	UserPrimitive	64
3.5.12	UserShape	68
3.5.13	Feature	68
4	CONTENT	69
4.1	FunctionMode	70
4.1.1	Schema Sections	71
4.1.2	Modes	75
4.1.3	FunctionMode Element.....	75
4.2	StepRef.....	77
4.3	LayerRef	77
4.4	BomRef.....	78
4.5	AvlRef	79
4.6	DictionaryStandard	80
4.7	DictionaryUser	81
4.8	DictionaryFont.....	82
4.9	DictionaryLineDesc	83
4.10	DictionaryFillDesc	85
4.11	DictionaryColor	86
4.12	DictionaryFirmware	87
5	LOGISTIC HEADER	88
5.1	LogisticHeader	88
5.2	Role	89
5.3	Enterprise	90
5.4	Person	92
6	HISTORY RECORD	93
6.1	HistoryRecord	93
6.2	FileRevision	95
6.3	SoftwarePackage	95
6.4	ChangeRec.....	97
7	BOM (Material List).....	98
7.1	BOM Header	100
7.2	BomItem	100
7.2.1	BomDes.....	102
7.2.2	Characteristics	110
8	ELECTRONIC COMPUTER AIDED DESIGN (ECAD)	114
8.1	CadHeader.....	114
8.1.1	Spec.....	115
8.1.2	Property.....	135
8.1.3	ChangeRec	136
8.2	CadData.....	137

8.2.1	Layer	139
8.2.2	Stackup	142
8.2.3	Step	149
8.2.4	DfxMeasurementList.....	196
9	APPROVED VENDOR LIST (AVL)	199
9.1	AvlHeader	200
9.2	AvlItem.....	201
9.2.1	AvlVmpn	202
10	GLOSSARY	204
10.1	Process Flow Descriptions.....	204
10.2	Terms and Definitions	205
10.3	Enumerated strings of 2581	206
11	REFERENCE INFORMATION	206
11.1	IPC.....	206
11.2	American National Standards Institute	207
11.3	Department of Defense	207
11.4	Electronic Industries Association	207
11.5	International Organization for Standards (ISO)	207
Appendix A	IPC-7351 Naming Convention for Land Patterns.....	208
Appendix B	Panel Instance File.....	212
Appendix C	Potential Reference Designator Assignment for Non Electrical Items	215
Appendix D	Summary of Changes from Revision B	216

Generic Requirements for Printed Board Assembly Products Manufacturing Description Data and Transfer Methodology

1 SCOPE

This standard specifies the XML schema that represents the intelligent data file format used to describe printed board and printed board assembly products with details sufficient for tooling, manufacturing, assembly, and inspection requirements. This format may be used for transmitting information between a printed board designer and a manufacturing or assembly facility. The data is most useful when the manufacturing cycle includes computer-aided processes and numerical control machines.

The data can be defined in either English or International System of Units (SI) units. The format is a convergence of the IPC-2511 “GenCAM” and the Valor Computerized Systems “ODB-X” format structure.

1.1 Focus and intent

The generic format requirements are provided in a series of standards focused on printed board manufacturing, assembly, and inspection testing. This standard series consists of a generic standard (IPC-2581) that contains all the general requirements. There are seven sectional standards that are focused on the XML details necessary to accumulate information in the single file, that address the needs of the manufacturing disciplines producing a particular product.

The sectional standards (IPC-2582 through 2588) paraphrase the important requirements and provide suggested usage and examples for the topic covered by the sectional standard.

1.2 Notation

Although the data would be contained in a single file, the file can have different purposes as described in Section 4. The XML schema used for this standard follows the notations set forth by the W3C and is as follows:

- element – Element appears exactly one time
- element? – Element may appear 0 or 1 times
- element* – Element may appear 0 or more times
- element+ – Element may appear 1 or more times

Any IPC-258X file is composed of a high level element (IPC-2581) that contains up to six sub-elements:

- Content – information about the contents of the 258X file
- LogisticHeader – information pertaining to the order and supply data
- HistoryRec – change information of the file
- Bom – Bill of Materials (Material List) information
- Ecad – Computer Aided Design (engineering) information
- Avl – Approved Vendors List information